

Design Use Cases

Team SUS



Trish Lam	Project Manager
Daniel Xiong	Business Analyst (Deputy #1)
Brian Nguyen	Senior System Analyst
Mary Nguyen	Software Architect
Victor Ung	Software Development Lead
Jill Su	Software Development Lead (Deputy #2)
Richard Tran	Algorithm Specialist
Rohan Bhushan	Database Specialist
Brittany Trieu	Quality Assurance Lead
Pauline Woo	User Interface Specialist

Contents

Login	3
1 Account Creation	3
2 Login	4
3 Logout	5
4 Password Recovery	6
Group Management	7
5 Create Group	7
6 Join Group	8
7 Edit Group	9
8 Delete Group	10
9 Search Groups	11
10 View Group Page	12
11 View Group Members	13
12 Leave Group	14
User Management	15
13 Invite User	15
14 Remove User	16
15 View User Profile	17
16 Create Post	18
17 Edit Post	19
18 Delete Post	20
19 View Post	21
20 Make a Group Member an Admin	22
Interaction Management	23
21 Create Event	23
22 Edit Event	24
23 Delete Event	25
24 Share Event	26
25 View Event	27
26 Send Notification/Reminders	28
27 Commenting on Post	29
Task Management	30
28 Create Task	30
29 Edit Task	31
30 Delete Task	32
31 View Tasks	33
32 Complete Task	34
Profile Management	35
33 View Profile	35
34 Edit Profile	36
35 Delete Account	37

Login

1 Account Creation

Priority	High
Status	Completed
Description	The user can create an account by inputting an email and password for their login.
User Goal	The user's goal is to create an account to use the application.
Desired Outcome	The user will have their own personal account to use the application.
Dependencies	None
Requirements	SR-1
Pre-conditions	The user is on the login page
Post-conditions	The user has an account, and their data is stored in the database.
Trigger	The user wants a personal account to be able to use the app and view personalized events and join specific groups.
Workflow	<ol style="list-style-type: none">1. The user shall click the "New User" button2. The frontend shall render Signup.js3. The user shall fill out the form4. The user shall click the "Sign up" button5. The frontend shall send a request to the user controller6. The backend shall validate the form using validateUserData()7. If the form is valid, a user object is created with createUser()8. The frontend shall render Login.js
Alternate Workflow Invalid Email	<ol style="list-style-type: none">3. The user shall input an invalid email (malformed or not UCSD)4. The frontend shall display an error
Alternate Workflow Empty Text Field	<ol style="list-style-type: none">3. The user does not fill out one of the text fields4. The frontend shall output an error and prompt the user to fill out all text fields
Alternate Workflow Invalid Password	<ol style="list-style-type: none">3. The user does not input a password meeting the requirements4. The frontend shall output an error, display to the user the password requirements, and prompt the user to enter a valid password

2 Login

Priority	High
Status	Completed
Description	The user can login to their account after one has been created.
User Goal	The user's goal is to login to their account and access all of their personal features.
Desired Outcome	The user will be able to successfully login and use the application.
Dependencies	UC-1
Requirements	SR-2
Pre-conditions	The user is on the login page
Post-conditions	The user is now logged into their account and can use the application.
Trigger	The user wants to use the application with all of their personal features on it.
Workflow	<ol style="list-style-type: none">1. The user shall input their email and password2. The user shall click the "Login" button3. The frontend shall render Login.js4. The user shall fill the form5. The frontend shall send a request to the user controller6. The backend shall verify the user's information using <code>authUser()</code>7. The frontend shall render Home.js
Alternate Workflow Wrong Email/Pass	<ol style="list-style-type: none">1. The user shall input a wrong email or password2. The user shall click the "Login" button3. The frontend shall send a request to the user controller, which will respond with a failure4. The frontend shall output an error

3 Logout

Priority	Medium
Status	Completed
Description	The user can log out of their account after they have logged in and used the application.
User Goal	The user's goal is to successfully log out of their account after using the application.
Desired Outcome	The user will be logged out of their account and back at the login page.
Dependencies	UC-1, UC-2
Requirements	SR-3
Pre-conditions	The user is logged in and is on the home page
Post-conditions	The user is now safely logged out of their account.
Trigger	The user is done using the application and wants to secure their information by logging out.
Workflow	<ol style="list-style-type: none">1. The user shall click on the profile icon on the navbar2. The frontend shall render Profile.js3. The user shall click on the "Logout" button4. The frontend shall send a request to the user controller5. The backend shall call signOut()6. The frontend shall render Start.js

4 Password Recovery

Priority	Medium
Status	Completed
Description	The system will send a password reset email to the user if the user clicks “Forgot Password?” on the login screen of the application.
User Goal	The user has forgotten their password to login to their account, and needs their password reset.
Desired Outcome	The user can change their forgotten password to a new, known password.
Dependencies	UC-1
Requirements	SR-4
Pre-conditions	The user is on the login page
Post-conditions	The user has a new, known password after clicking the link sent to their email.
Trigger	The user does not remember their password.
Workflow	<ol style="list-style-type: none">1. The user shall click the “Forgot Password?” button2. The frontend shall render the reset password form3. The user shall input their login email4. The user shall click the “Send” button5. The frontend shall send a request to the user controller6. The backend shall call resetPassword()
Alternate Workflow	
Invalid Email	<ol style="list-style-type: none">1. The user shall input an invalid email (does not exist or malformed)2. The user shall click the “Send email” button3. The frontend shall send a request to the user controller, which will be responded with a failure4. The frontend shall display an error and prompt the user to input a valid email

Group Management

5 Create Group

Priority	High
Status	Completed
Description	The user shall be able to create a group.
User Goal	The user wants to create a group.
Desired Outcome	The user is in its newly created group.
Dependencies	UC-1, UC-2
Requirements	SR-5
Pre-conditions	The user is logged in and is on the home page
Post-conditions	The user is in a group.
Trigger	The user wants to create a group with other users.
Workflow	<ol style="list-style-type: none">1. The user shall navigate to the “My Groups” page (3rd icon on navbar)2. The front end shall display MyGroups.js3. The user shall tap on the create group icon on upper right corner4. The frontend shall render GroupForm.js5. The user shall fill in the form6. The frontend shall send the contents to the group controller7. The backend shall call createGroup()8. The frontend shall render myGroup.js with the new group displayed
Alternate Workflow	
Don't create group	<ol style="list-style-type: none">5. The user shall click on the “back” button6. The frontend shall render home.js

6 Join Group

Priority	High
Status	Completed
Description	The user shall be able to join a group.
User Goal	The user wants to join a group.
Desired Outcome	The user joins a group.
Dependencies	UC-1, UC-2, UC-5, UC-9
Requirements	SR-6
Pre-conditions	The user is logged in and is on the home page.
Post-conditions	The user is in the selected group.
Trigger	The user wants to join a group.
Workflow	<ol style="list-style-type: none">1. The user shall use UC-9 to get a list of groups2. The user shall click on a specific group3. The frontend shall render DummyGroup.js4. The user shall click the “Join now” button5. The frontend shall send a request to the group controller6. The backend shall call addUserToGroup()
Alternate Workflow	N/A

7 Edit Group

Priority	Medium
Status	Completed
Description	The user can edit the details/settings of the group they created.
User Goal	The user wants to change important details or settings of the group.
Desired Outcome	The user successfully updates details and settings of the group, and the change is present on the screen of other users.
Dependencies	UC-1, UC-2, UC-5, UC-6, UC-10
Requirements	SR-7
Pre-conditions	The user is logged in and is on the home page.
Post-conditions	The details and settings of the specific group is changed for every user of the app.
Trigger	The user wants to change the privacy settings of the group. The user doesn't want to present misleading information to other users.
Workflow	<ol style="list-style-type: none">1. The user shall use UC-10 to view the list of groups2. The user shall click on a specific group3. The frontend shall render DummyGroup.js4. The user shall click on the "Edit" button5. The frontend shall render GroupEditForm.js6. The user shall fill out the form and click the "Done" button7. The frontend shall send the information to the group controller8. The backend shall call updateGroup()9. The frontend shall rerender DummyGroup.js with the updated information
Alternate Workflow	N/A

8 Delete Group

Priority	Medium
Status	Completed
Description	The user can delete a group.
User Goal	The user no longer needs the group.
Desired Outcome	The group is deleted
Dependencies	UC-1, UC-2, UC-5, UC-6, UC-7, UC-10
Requirements	SR-8
Pre-conditions	The user is logged in and is on the home page. The user has administrative privileges of the designated group
Post-conditions	The group is deleted and will no longer appear on any user's version of the application.
Trigger	The group is no longer active. The members do not socialize together anymore.
Workflow	<ol style="list-style-type: none">1. Use UC-7 to view the edit group form2. The user shall click the trash icon3. The frontend shall send a request to the group controller4. The backend shall call deleteGroup()5. The frontend shall render MyGroups.js
Alternate Workflow	N/A

9 Search Groups

Priority	High
Status	Completed
Description	The user can view all groups that have been created publicly.
User Goal	The user wants to view all the groups that have been created.
Desired Outcome	The user is presented with a list of groups that may interest them.
Dependencies	UC-1, UC-2, UC-5
Requirements	SR-9
Pre-conditions	The user is logged in and is on the home page
Post-conditions	The user can now browse through a list of publicly created groups.
Trigger	The user wants to see all the possible groups to meet people who share similar interests.
Workflow	<ol style="list-style-type: none">1. The user shall tap on the search icon on the navbar2. The frontend shall render Search.js3. The user shall fill in the search box with the group name or an empty string4. The frontend shall send a request to the group controller5. The backend shall list all the groups that match the sent in string using getGroups()6. The frontend shall display all the given groups
Alternate Workflow	N/A

10 View Group Page

Priority	High
Status	Completed
Description	The user can view all groups that they have joined.
User Goal	The user wants to view all the groups that they are a member of.
Desired Outcome	The user is presented with a list of groups that they are a member of.
Dependencies	UC-1, UC-2, UC-5, UC-6
Requirements	SR-10
Pre-conditions	The user is logged in and is on the home page.
Post-conditions	The user can now browse through a list of joined groups (if any).
Trigger	The user wants to see all the groups they are a member of.
Workflow	<ol style="list-style-type: none">1. The user shall navigate to the “My Groups” page2. The frontend shall send a request to the user controller3. The backend shall call getUserInfo() and send back the data4. The frontend shall send a request to the group controller for each user group5. The backend shall call getGroupInfo()6. The frontend shall display the list of groups7. The user shall tap on the group they want to view8. The frontend shall render DummyGroup.js
Alternate Workflow	N/A

11 View Group Members

Priority	Medium
Status	Completed
Description	The user can view the members of a group they are part of.
User Goal	The user wants to know who is in the same group as them, and/or view their profiles.
Desired Outcome	The user will be able to view their group's members.
Dependencies	UC-1, UC-2, UC-5, UC-6, UC-10
Requirements	SR-11
Pre-conditions	The user is logged in and is on the home page. The user is a member of the designated group
Post-conditions	The user can see all the members of the group.
Trigger	The user wants to look up who is part of the group(s) they are in
Workflow	<ol style="list-style-type: none">1. The user shall use UC-10 to view a group2. On the group page is the list of members
Alternate Workflow	N/A

12 Leave Group

Priority	Medium
Status	Completed
Description	The user can leave a group they have joined.
User Goal	The user no longer wants to be within the group.
Desired Outcome	The user is no longer a member of the group and does not see group posts.
Dependencies	UC-1, UC-2, UC-5, UC-6, UC-10
Requirements	SR-12
Pre-conditions	The user is a member of the designated group
Post-conditions	The user is no longer listed as a member of that group. The user no longer receives notifications for that group.
Trigger	The user wants to leave a group because they don't want to receive notifications for that group anymore.
Workflow	<ol style="list-style-type: none">1. The user shall use UC-10 to view a group2. The user shall click the "Leave Group" button3. The frontend shall send a request to the group controller4. The backend shall call <code>removeUserFromGroup()</code>5. The frontend shall render <code>MyGroups.js</code>
Alternate Workflow	N/A

User Management

13 Invite User

Priority	Low
Status	Not Completed
Description	A user in a group can invite another user to join the group.
User Goal	To invite someone else to join the group
Desired Outcome	Someone else successfully joins the group
Dependencies	UC-1, UC-2, UC-5, UC-6
Requirements	SR-13
Pre-conditions	The user is logged in and is on the designated group page.
Post-conditions	The group contains a new member, the one invited
Trigger	User wants someone to join the group
Workflow	<ol style="list-style-type: none">1. The user shall click on the “Invite User” button2. The frontend shall render an invitation form3. The user shall type the invitee’s email and click “Invite” button4. The frontend shall send a request to the user controller5. The backend shall call inviteUser()
Alternate Workflow	
Invalid email	<ol style="list-style-type: none">3. The user shall type in an email that does not exist4. The frontend shall make the invite button unclickable and request that a valid email is entered

14 Remove User

Priority	Low
Status	Not Completed
Description	A user in a group can remove another user in the same group.
User Goal	To remove someone from the group.
Desired Outcome	The removed person will no longer be in the group.
Dependencies	UC-1, UC-2, UC-5, UC-6, UC-10, UC-11
Requirements	SR-14
Pre-conditions	The user is logged in and is on the designated group page. The user has administrative privileges
Post-conditions	The group contains one less member, the one removed.
Trigger	User wants to remove a member.
Workflow	<ol style="list-style-type: none">1. The user shall use UC-11 to view the group members2. The user shall tap the 'X' button next to the desired member to be removed3. The frontend shall send a request to the group controller4. The backend shall call <code>removeUser()</code>5. The frontend shall rerender <code>DummyGroup.js</code>
Alternate Workflow	N/A

15 View User Profile

Priority	Medium
Status	Not Completed
Description	A user is allowed to view the profile of another user.
User Goal	To view someone else's profile.
Desired Outcome	The system shows the profile of the searched user.
Dependencies	UC-1, UC-2, UC-6, UC-11, UC-33
Requirements	SR-15
Pre-conditions	The user is logged in and is on the designated group page
Post-conditions	The profile of the desired user is shown.
Trigger	A user wants to look at someone else's profile
Workflow	<ol style="list-style-type: none">1. The user shall use UC-11 to view the group members2. The user shall click on a member3. The frontend shall present the user a list of actions4. The user shall click "View profile"5. The frontend shall send a request to the user controller6. The backend shall call getUserInfo()7. The frontend shall render DummyUser.js
Alternate Workflow	N/A

16 Create Post

Priority	Medium
Status	Completed
Description	A user is allowed to post inside a group.
User Goal	To publicize something within a group.
Desired Outcome	The system shall display the user's post for all group members to see.
Dependencies	UC-1, UC-2, UC-5, UC-6, UC-10
Requirements	SR-16
Pre-conditions	The user is logged in and is on the designated group page
Post-conditions	The post is shown on the group page and is updated on all other users' accounts.
Trigger	A user has some important announcement relevant to the group.
Workflow	<ol style="list-style-type: none">1. The user shall use UC-10 to view a group2. The user shall click on "Add Post (+)"3. The frontend shall render PostForm.js4. The user shall fill out the form and click on the "Create Post" button5. The frontend shall send a request the group controller6. The backend shall call createTask()7. The frontend shall render DummyGroup.js
Alternate Workflow	N/A

17 Edit Post

Priority	Medium
Status	Completed
Description	The user will edit a post that they created.
User Goal	The user wants to change the title or body of a post they previously created.
Desired Outcome	The details of a post the user created will be changed.
Dependencies	UC-1, UC-2, UC-5, UC-6, UC-16
Requirements	SR-17
Pre-conditions	The user is logged in and on a group page. One of the members in the group has previously created a post.
Post-conditions	The post details are changed.
Trigger	A post the user has created needs to be updated with new information.
Workflow	<ol style="list-style-type: none"> 1. The user shall tap on one of the posts under the “Posts” section of the group page 2. The frontend shall render PostPopUp.js 3. The user shall click on the “Edit” button 4. The frontend shall render the PostEditForm.js 5. The user shall update the post information as necessary 6. The frontend shall send a request to the group controller 7. The backend shall call editPost() 8. The frontend shall render DummyGroup.js
Alternate Workflow Do not edit post	<ol style="list-style-type: none"> 5. The user shall tap on the back button 6. The frontend shall navigate back to the group page

18 Delete Post

Priority	Medium
Status	Completed
Description	The user can delete a post.
User Goal	The user no longer wants the post.
Desired Outcome	The post is deleted.
Dependencies	UC-1, UC-2, UC-5, UC-6, UC-16, UC-17
Requirements	SR-18
Pre-conditions	The user is logged in. The user is a member of the group. The user is on the group page
Post-conditions	The post is deleted and will no longer appear on any user's version of the application.
Trigger	The post has misleading information or is no longer relevant.
Workflow	<ol style="list-style-type: none">1. The user shall use UC-17 to go to edit page of a post2. The user shall tap on the trash icon3. The frontend shall send a request to the group controller4. The backend shall call deletePost()5. The frontend shall render DummyGroup.js
Alternate Workflow	N/A

19 View Post

Priority	Medium
Status	Completed
Description	The user will be able to view the post along with its details.
User Goal	The user wants to see details of the post.
Desired Outcome	The user can see their post and its details.
Dependencies	UC-1, UC-2, UC-5, UC-6, UC-16
Requirements	SR-19
Pre-conditions	The user is logged into their account, in a group. Posts have been made in that group. The user is on the group page
Post-conditions	The system will display the details of the posts that have been made.
Trigger	The user wants to view their posts and their details.
Workflow	<ol style="list-style-type: none">1. The user shall tap on a specific post2. The frontend shall render PostPopUp.js
Alternate Workflow Stop viewing	<ol style="list-style-type: none">3. The user shall tap on the back button4. The frontend shall navigate back to the group page

20 Make a Group Member an Admin

Priority	Medium
Status	Not Completed
Description	A user who has created a group is allowed to promote a member to admin status.
User Goal	The user wants another admin to help manage the group.
Desired Outcome	The group owner has granted another member administrative privileges.
Dependencies	UC-1, UC-2, UC-5, UC-11, UC-15
Requirements	SR-20
Pre-conditions	The user is logged in and is on the designated group page. Moreover, the user is the owner of the group
Post-conditions	The chosen member will now be able to perform administrative functions.
Trigger	The user needs help to help manage the group.
Workflow	<ol style="list-style-type: none">1. The user shall use UC-15 to view the profile of a group member2. The user shall click “Make user admin”3. The frontend shall send a request to the group controller4. The backend shall call makeUserAdmin()
Alternate Workflow	N/A

Interaction Management

21 Create Event

Priority	High
Status	Completed
Description	The user creates a new event happening on campus.
User Goal	The user wants to create a new event.
Desired Outcome	A new event is created.
Dependencies	UC-1, UC-2, UC-5, UC-6
Requirements	SR-18
Pre-conditions	The user is logged in and is on the designated group page
Post-conditions	The event is created and added to a list of group events.
Trigger	A new event has been organized by the school or a club/organization and they want to increase attendance.
Workflow	<ol style="list-style-type: none">1. The user shall click “Add Event (+)” button2. The frontend shall render EventForm.js3. The user shall fill out the form4. The frontend shall send a request to the group controller5. The backend shall call createEvent()6. The frontend shall render DummyGroup.js
Alternate Workflow Incomplete fields	<ol style="list-style-type: none">5. The frontend shall display an error that some fields are blank
Alternate Workflow Don’t create event	<ol style="list-style-type: none">3. The user shall click the “Back” button4. The frontend shall renavigate back to the group page

22 Edit Event

Priority	Medium
Status	Completed
Description	The user will edit an event that they created.
User Goal	The user wants to change the time, date, location, or description of an event they previously created.
Desired Outcome	The details of an event the user created will be changed.
Dependencies	UC-1, UC-2, UC-5, UC-6, UC-21
Requirements	SR-22
Pre-conditions	The user is logged in and is on the designated group page
Post-conditions	The event details are changed and updated in the database.
Trigger	An event the user has created has changed time, date, location, or has been cancelled.
Workflow	<ol style="list-style-type: none">1. The user shall click on a specific event2. The frontend shall render EventPopUp.js3. The user shall click the “Edit” button4. The frontend shall render EventEditForm.js5. The user shall enter the updated information6. The user shall click the “Done” button7. The frontend shall send a request to the group controller8. The backend shall call editEvent()9. The frontend shall render DummyGroup.js
Alternate Workflow Don't edit	<ol style="list-style-type: none">5. The user shall click the back button6. The frontend shall renavigate to the group page

23 Delete Event

Priority	Medium
Status	Completed
Description	User deletes an existing event.
User Goal	User deletes an existing event from the list of group events.
Desired Outcome	Event will no longer exist.
Dependencies	UC-1, UC-2, UC-5, UC-6, UC-21, UC-22
Requirements	SR-23
Pre-conditions	The user is logged in and is on the designated group page
Post-conditions	The event is no longer visible and is removed from the database.
Trigger	The user's event is cancelled or has passed.
Workflow	<ol style="list-style-type: none">1. The user shall use UC-22 to view the event edit form2. The user shall click the trash icon3. The frontend shall send a request to the group controller4. The backend shall call deleteEvent()5. The frontend shall render DummyGroup.js
Alternate Workflow Don't delete	<ol style="list-style-type: none">2. The user shall click the back button3. The frontend shall renavigate to the group page

24 Share Event

Priority	Low
Status	Not Completed
Description	The user can share an event with others.
User Goal	User wants to notify others about a future event.
Desired Outcome	User sends a notification to selected group members.
Dependencies	UC-1, UC-2, UC-5, UC-6, UC-21
Requirements	SR-21
Pre-conditions	The user is logged in and is on the designated group page
Post-conditions	Selected event details are sent to other users that the user chooses.
Trigger	The user wants to let others know about a new or interesting event.
Workflow	<ol style="list-style-type: none"> 1. The user shall use UC-25 to view an event 2. The user shall click the “Share” button 3. The frontend shall render a drop down menu of members 4. The user shall check off the members to share the event to 5. The user shall click the “Done” button 6. The frontend shall send a request to the user controller 7. The backend shall call shareEventToUser()
Alternate Workflow Don't share	<ol style="list-style-type: none"> 4. The user clicks on the back button 5. The frontend shall close the sharing screen
Alternate Workflow No user selected	<ol style="list-style-type: none"> 6. If the user did not select anyone to share, the frontend shall prompt the user to select at least one person

25 View Event

Priority	Medium
Status	Completed
Description	The user will be able to view the event along with its details.
User Goal	The user wants to see details of the event.
Desired Outcome	The user can see their event and its details.
Dependencies	UC-1, UC-2, UC-5, UC-6, UC-21
Requirements	SR-25
Pre-conditions	The user is logged into their account. Events have been made and assigned. The user is on the home page.
Post-conditions	The system will display the details of the events that have been made.
Trigger	The user wants to view the event and the details.
Workflow	<ol style="list-style-type: none">1. The user shall click on an event2. The frontend shall render EventPopUp.js
Alternate Workflow Don't share	<ol style="list-style-type: none">3. The user clicks on the "X" icon4. The frontend shall close the popup
Alternate Workflow View group event	<ol style="list-style-type: none">1. The user shall use UC-10 to view a group2. The user shall click on an event3. The frontend shall render EventPopUp.js

26 Send Notification/Reminders

Priority	Medium
Status	Not Completed
Description	The user can send a notification for an event or reminder for a task
User Goal	The user wants group members to receive a push notification from the app.
Desired Outcome	The other user receives the notification and attends the event or completes the task.
Dependencies	UC-1, UC-2, UC-5, UC-6, UC-21
Requirements	SR-26
Pre-conditions	The user is logged in and is on the designated group page. Moreover, the user is the group owner.
Post-conditions	A notification pops up for all group members with notifications on.
Trigger	The user wants to make sure the other user remembers an upcoming event or task.
Workflow	<ol style="list-style-type: none">1. The user shall click on “Send notification” button2. The frontend shall render a schedule event form3. The user shall input the necessary information (message, date, scheduling system)4. The user shall click “Done”5. The frontend shall display a confirmation message6. The user shall click “yes” or “no” accordingly7. The frontend shall send the contents to the group controller8. The backend shall send the notification to the group members if “yes” is clicked by calling sendNotificaiton()
Alternate Workflow Schedule Notification	<ol style="list-style-type: none">5. The user shall input a time and date6. The frontend shall display a confirmation message7. The user shall click “yes” or “no” accordingly8. The frontend shall send the contents to the group controller9. The backend shall schedule the notification is “yes” is clicked by calling sendReminder()

27 Commenting on Post

Priority	Low
Status	Not Completed
Description	The user can make a comment on an event that has been posted
User Goal	The user wants to make a comment about a particular post
Desired Outcome	The user's message is sent and other users can read it
Dependencies	UC-1, UC-2, UC-6, UC-10, UC-16
Requirements	SR-27
Pre-conditions	The user is in a group with at least one post
Post-conditions	The user successfully sends a comment and it is displayed on every other user's screen
Trigger	The user wants to communicate with the rest of the group about a specific event
Workflow	<ol style="list-style-type: none">1. The user shall use UC-10 to view a specific group2. The user shall click on an event3. The frontend shall render EventPopUp.js4. The user shall click the "Comment" button5. The frontend shall render CommentForm.js6. The user shall fill out the form and click "Done"7. The frontend shall send the contents to the group controller8. The backend shall call EditEvent()9. The frontend shall rerender EventPopUp.js
Alternate Workflow	N/A

Task Management

28 Create Task

Priority	High
Status	Completed
Description	The user can create tasks within a group.
User Goal	The user wants to organize and assign tasks that must be completed within a group.
Desired Outcome	The user who assigns a task and the rest of the group members will be able to see the tasks.
Dependencies	UC-1, UC-2, UC-5, UC-6, UC-10
Requirements	SR-24
Pre-conditions	The user is logged in and in at least one group. The user is on the home page (or any page with navigation bar).
Post-conditions	A new task is assigned and displayed on the tasks page.
Trigger	The user wants to assign a task for a group member/members to do.
Workflow	<ol style="list-style-type: none">1. The user shall use UC-10 to view a group2. The user shall click “Add Task (+)”3. The frontend shall render TaskForm.js4. The user shall fill in the form and click the “Done” button5. The frontend shall send a request to the task controller6. The backend shall call createTask()7. The frontend shall render DummyGroup.js
Alternate Workflow Cancel task	<ol style="list-style-type: none">4. The user shall tap on the back button5. The frontend shall renavigate to the group page
Alternate Workflow Empty required fields	<ol style="list-style-type: none">6. The frontend shall display error message that some required fields are empty

29 Edit Task

Priority	Medium
Status	Completed
Description	The user can edit a task.
User Goal	The user wants to make changes to the task's name, description, expected deadline, and/or group member(s).
Desired Outcome	The changes made to the task will be reflected on the tasks page for all members of the group to see.
Dependencies	UC-1, UC-2, UC-5, UC-6, UC-10, UC-28
Requirements	SR-29
Pre-conditions	The user is logged in and in at least one group. The user is on the home page (or any page with navigation bar).
Post-conditions	The task will be edited and updated on the tasks page.
Trigger	There is a mistake on the task that the user wishes to change, or the information initially filled in is not relevant anymore and the user desires to edit the tasks to reflect the updated information.
Workflow	<ol style="list-style-type: none"> 1. The user shall use UC-10 to view a group page 2. The user shall click on a specific task 3. The frontend shall display TaskPopUp.js 4. The user shall click the "Edit" button 5. The frontend shall display TaskEditForm.js 6. The user shall update the task information and click the "Done" button 7. The frontend shall send a request toe the task controller 8. The backend shall call editTask() 9. The frontend shall render DummyGroup.js
Alternate Workflow Don't edit	<ol style="list-style-type: none"> 6. The user shall click the back button 7. The frontend shall renavigate to the group page

30 Delete Task

Priority	Medium
Status	Completed
Description	The user can delete a task.
User Goal	The user has completed the task or no longer needs to complete the task.
Desired Outcome	The task has been deleted.
Dependencies	UC-1, UC-2, UC-5, UC-6, UC-10, UC-28, UC-29
Requirements	SR-30
Pre-conditions	The user is logged in and in at least one group. The user is on the home page (or any any page with navigation bar)
Post-conditions	The task will no longer be displayed in the tasks page.
Trigger	The user no longer needs to complete the task and doesn't want to see it anymore on the group page.
Workflow	<ol style="list-style-type: none"> 1. The user shall use UC-10 to view a group page 2. The user shall use UC-29 to view the edit form 3. The user shall click the trash icon 4. The frontend shall send a request to the task controller 5. The backend shall call deleteTask() 6. The frontend shall render DummyGroup.js
Alternate Workflow Don't delete	<ol style="list-style-type: none"> 3. The user shall click the back button 4. The frontend shall renavigate back to the group page

31 View Tasks

Priority	Medium
Status	Completed
Description	The user will be able to view the tasks assigned along with its details.
User Goal	The user wants to see details of the tasks related to them.
Desired Outcome	The user can see their task(s) and its details.
Dependencies	UC-1, UC-2, UC-5, UC-6, UC-10, UC-28
Requirements	SR-31
Pre-conditions	The user is logged into their account, in a group with tasks that have been made and assigned. The user is on the home page.
Post-conditions	The system will display the details of the tasks that have been assigned.
Trigger	The user wants to view their tasks and its details.
Workflow	<ol style="list-style-type: none">1. The user shall click on a specific task2. The frontend shall render TaskPopUp.js
Alternate Workflow Stop viewing details	<ol style="list-style-type: none">3. The user shall click on the “X” button4. The frontend shall close the task pop up
Alternate Workflow View group task	<ol style="list-style-type: none">1. The user shall use UC-10 to view a group2. The user shall click on a specific task3. The frontend shall render TaskPopUp.js

32 Complete Task

Priority	Medium
Status	Completed
Description	The user will be able to complete the task and remove it from the list.
User Goal	The user wants to mark the task as complete.
Desired Outcome	The user wants to remove the task from the list because it is completed
Dependencies	UC-1, UC-2, UC-5, UC-6, UC-10, UC-28, UC-31
Requirements	SR-32
Pre-conditions	The user is logged into their account and in a group. Tasks have been made and assigned. The user is on the home page (or any page with navigation bar).
Post-conditions	The system will no longer display the task because it is completed
Trigger	The user has completed the task and no longer needs to see it.
Workflow	<ol style="list-style-type: none"> 1. The user shall use UC-10 to view a group 2. The user shall use UC-31 to view a task 3. The user shall tap the “Complete” button 4. The frontend shall not display the task
Alternate Workflow Do not complete	<ol style="list-style-type: none"> 3. The user shall click on the “X” button 4. The frontend shall close the task pop up

Profile Management

33 View Profile

Priority	Medium
Status	Completed
Description	The user can view their personal profile.
User Goal	The user wants to view their own personal profile information.
Desired Outcome	The user's personal information is displayed.
Dependencies	UC-1, UC-2
Requirements	SR-33
Pre-conditions	The user has an account and is logged in. The user is on the home page (or any page with navigation bar)
Post-conditions	The app changes accordingly to the user's personal information.
Trigger	The user has preferences on what their personal bio shows and how their app should run.
Workflow	<ol style="list-style-type: none">1. The user shall click on the profile icon on the navbar (4th icon)2. The frontend shall render Profile.js3. The frontend shall send a request to the user controller4. The backend shall call getUserInfo()5. The frontend shall display the user information
Alternate Workflow	N/A

34 Edit Profile

Priority	Medium
Status	Completed
Description	The user can edit personal settings.
User Goal	The user wants to change specific settings such as notifications or personal bio.
Desired Outcome	The settings such as personal bio or notifications are successfully updated.
Dependencies	UC-1, UC-2
Requirements	SR-34
Pre-conditions	The user has an account and is logged in. The user is on the home page (or any page with navigation bar).
Post-conditions	The app changes accordingly to the preferences of the user.
Trigger	The user has preferences on what their personal bio shows and how their app should run.
Workflow	<ol style="list-style-type: none"> 1. The user shall click on the profile icon on the navbar (4th icon) 2. The frontend shall render Profile.js 3. The user shall click on the pencil icon 4. The frontend shall render ProfileForm.js 5. The user shall update information as necessary 6. The user shall click on the “Done” button 7. The frontend shall send a request to the user controller 8. The backend shall call updateUser() 9. The frontend shall rerender Profile.js
Alternate Workflow	
Don't update	<ol style="list-style-type: none"> 5. The user clicks the back button 6. The frontend renavigates to the profile page

35 Delete Account

Priority	Low
Status	Completed
Description	The user will be able to delete their account
User Goal	The user no longer needs an account since they no longer use the app
Desired Outcome	The user has successfully deleted their account
Dependencies	UC-1, UC-2, UC-34
Requirements	SR-29
Pre-conditions	The user has the app downloaded and has an account created. The user is logged into their account. The user is on the home page (or any page with navigation bar).
Post-conditions	The user has their account removed from the system.
Trigger	The user no longer goes to UC San Diego or finds that they no longer have a use for the app.
Workflow	<ol style="list-style-type: none"> 1. The user shall use UC-34 to view the edit profile form 2. The user shall click the “Delete Account” button 3. The frontend shall send a request to the user controller 4. The backend shall call deleteUser() 5. The frontend shall render Start.js
Alternate Workflow Do not delete	<ol style="list-style-type: none"> 2. The user shall click the back button 3. The frontend shall renavigate to the profile page